




Wrapped narrow V-belt to DIN 7753. Built for demanding drives in mechanical engineering field.

Jens S' stocked profiles are SPZ, SPA, SPB and SPC. They are available in lengths from 512 - 9500 mm.


- Material: Natural rubber
- Cord: Polyester
- Temperature range: -55°C to +70°C
- Antistatic acc. to ISO 1813
- Standard: DIN 7753

Profil		SPZ	SPA	SPB	SPC
Inner length	Li (mm)	Li = Lp -38	Li = Lp -46	Li = Lp -60	Li = Lp -84
Outer length	La (mm)	La = Lp +12	La = Lp +17	La = Lp +22	La = Lp +29
Belt height	h (mm)	8	10	13	18
Belt width	b (mm)	9,7	12,7	16,3	22,0
Weight	Kg/m	0,073	0,100	0,178	0,380



Item no. example

SPZ 612



Lp, pitch length. See table on page 16-17

The Conti® V

The Conti® V narrow is a suitable V-belt for drives in general mechanical engineering applications. In most cases a narrow section V-belt can replace a classical section V-belt without a problem. Up to 33 % higher belt speeds can be achieved by comparison. The larger surface area means that the Conti® V narrow section V-belt offers better heat dissipation and potential cost savings of up to 40 % compared with classical section wrapped V-belts.

Product Properties

- Moderately oil-resistant
- Unaffected by dust
- Temperature resistant from -55°C to +70°C
- Antistatic according to ISO 1813
- Matched-set L=L (from 1,000 mm)

SPZ	
Item no JENS S.	Pitch length Lp, mm
SPZ512	512
SPZ562	562
SPZ587	587
SPZ612	612
SPZ630	630
SPZ637	637
SPZ662	662
SPZ670	670
SPZ677	677
SPZ687	687
SPZ697	697
SPZ710	710
SPZ722	722
SPZ737	737
SPZ750	750
SPZ762	762
SPZ772	772
SPZ787	787
SPZ800	800
SPZ812	812
SPZ825	825
SPZ837	837
SPZ850	850
SPZ862	862
SPZ875	875
SPZ887	887
SPZ900	900
SPZ912	912
SPZ922	922
SPZ925	925
SPZ927	927
SPZ937	937
SPZ950	950
SPZ962	962
SPZ970	970
SPZ987	987
SPZ1000	1000
SPZ1012	1012
SPZ1024	1024
SPZ1037	1037
SPZ1047	1047
SPZ1060	1060
SPZ1077	1077
SPZ1087	1087
SPZ1112	1112
SPZ1120	1120
SPZ1127	1127

Item no JENS S.	Pitch length Lp, mm
SPZ1137	1137
SPZ1147	1147
SPZ1150	1150
SPZ1162	1162
SPZ1180	1180
SPZ1187	1187
SPZ1202	1202
SPZ1212	1212
SPZ1222	1222
SPZ1237	1237
SPZ1250	1250
SPZ1262	1262
SPZ1270	1270
SPZ1287	1287
SPZ1312	1312
SPZ1320	1320
SPZ1337	1337
SPZ1347	1347
SPZ1362	1362
SPZ1387	1387
SPZ1400	1400
SPZ1412	1412
SPZ1420	1420
SPZ1437	1437
SPZ1457	1457
SPZ1462	1462
SPZ1487	1487
SPZ1500	1500
SPZ1512	1512
SPZ1520	1520
SPZ1537	1537
SPZ1550	1550
SPZ1562	1562
SPZ1587	1587
SPZ1600	1600
SPZ1612	1612
SPZ1637	1637
SPZ1650	1650
SPZ1662	1662
SPZ1687	1687
SPZ1700	1700
SPZ1712	1712
SPZ1737	1737
SPZ1750	1750
SPZ1762	1762
SPZ1787	1787
SPZ1800	1800
SPZ1812	1812
SPZ1837	1837

Item no JENS S.	Pitch length Lp, mm
SPZ1850	1850
SPZ1862	1862
SPZ1887	1887
SPZ1900	1900
SPZ1937	1937
SPZ1950	1950
SPZ1987	1987
SPZ2000	2000
SPZ2030	2030
SPZ2037	2037
SPZ2062	2062
SPZ2087	2087
SPZ2120	2120
SPZ2137	2137
SPZ2150	2150
SPZ2160	2160
SPZ2187	2187
SPZ2240	2240
SPZ2262	2262
SPZ2280	2280
SPZ2287	2287
SPZ2360	2360
SPZ2410	2410
SPZ2437	2437
SPZ2487	2487
SPZ2500	2500
SPZ2540	2540
SPZ2650	2650
SPZ2690	2690
SPZ2800	2800
SPZ2840	2840
SPZ3000	3000
SPZ3150	3150
SPZ3170	3170
SPZ3350	3350
SPZ3550	3550

SPA	
Item no JENS S.	Pitch length Lp, mm
SPA647	647
SPA707	707
SPA732	732
SPA757	757
SPA782	782
SPA800	800
SPA807	807

Item no JENS S.	Pitch length Lp, mm
SPA832	832
SPA850	850
SPA857	857
SPA882	882
SPA900	900
SPA907	907
SPA925	925
SPA932	932
SPA950	950
SPA957	957
SPA967	967
SPA982	982
SPA1000	1000
SPA1007	1007
SPA1032	1032
SPA1042	1042
SPA1057	1057
SPA1060	1060
SPA1082	1082
SPA1090	1090
SPA1100	1100
SPA1107	1107
SPA1120	1120
SPA1132	1132
SPA1150	1150
SPA1157	1157
SPA1175	1175
SPA1180	1180
SPA1207	1207
SPA1225	1225
SPA1232	1232
SPA1250	1250
SPA1257	1257
SPA1272	1272
SPA1282	1282
SPA1300	1300
SPA1307	1307
SPA1320	1320
SPA1332	1332
SPA1357	1357
SPA1367	1367
SPA1375	1375
SPA1382	1382
SPA1400	1400
SPA1407	1407
SPA1425	1425
SPA1432	1432
SPA1450	1450
SPA1457	1457
SPA1482	1482
SPA1500	1500

Item no JENS S.	Pitch length Lp, mm
SPA1507	1507
SPA1525	1525
SPA1532	1532
SPA1557	1557
SPA1582	1582
SPA1600	1600
SPA1607	1607
SPA1632	1632
SPA1657	1657
SPA1675	1675
SPA1682	1682
SPA1700	1700
SPA1707	1707
SPA1732	1732
SPA1750	1750
SPA1757	1757
SPA1782	1782
SPA1800	1800
SPA1807	1807
SPA1832	1832
SPA1850	1850
SPA1857	1857
SPA1882	1882
SPA1900	1900
SPA1907	1907
SPA1925	1925
SPA1932	1932
SPA1950	1950
SPA1957	1957
SPA1982	1982
SPA2000	2000
SPA2032	2032
SPA2057	2057
SPA2082	2082
SPA2120	2120
SPA2132	2132
SPA2182	2182
SPA2207	2207
SPA2232	2232
SPA2240	2240
SPA2282	2282
SPA2300	2300
SPA2307	2307
SPA2332	2332
SPA2360	2360
SPA2382	2382
SPA2432	2432
SPA2475	2475
SPA2482	2482
SPA2500	2500
SPA2532	2532

Item no JENS S.	Pitch length Lp, mm
SPA2582	2582
SPA2607	2607
SPA2632	2632
SPA2650	2650
SPA2682	2682
SPA2732	2732
SPA2782	2782
SPA2800	2800
SPA2832	2832
SPA2847	2847
SPA2882	2882
SPA2900	2900
SPA2932	2932
SPA2982	2982
SPA3000	3000
SPA3032	3032
SPA3082	3082
SPA3150	3150
SPA3182	3182
SPA3250	3250
SPA3282	3282
SPA3350	3350
SPA3382	3382
SPA3450	3450
SPA3550	3550
SPA3650	3650
SPA3750	3750
SPA3870	3870
SPA4000	4000
SPA4250	4250
SPA4500	4500
SPA5350	5350

SPB	
Item no JENS S.	Pitch length Lp, mm
SPB1250	1250
SPB1320	1320
SPB1340	1340
SPB1360	1360
SPB1400	1400
SPB1410	1410
SPB1450	1450
SPB1472	1472
SPB1500	1500
SPB1550	1550
SPB1600	1600
SPB1650	1650
SPB1700	1700
SPB1750	1750
SPB1778	1778
SPB1800	1800
SPB1850	1850
SPB1860	1860
SPB1900	1900
SPB1950	1950
SPB2000	2000
SPB2020	2020
SPB2060	2060
SPB2098	2098
SPB2120	2120
SPB2150	2150
SPB2180	2180
SPB2200	2200
SPB2240	2240
SPB2264	2264
SPB2280	2280
SPB2300	2300
SPB2310	2310
SPB2360	2360
SPB2391	2391
SPB2400	2400
SPB2410	2410
SPB2430	2430
SPB2450	2450
SPB2500	2500
SPB2530	2530
SPB2580	2580
SPB2600	2600
SPB2650	2650
SPB2680	2680
SPB2720	2720
SPB2730	2730

Item no JENS S.	Pitch length Lp, mm
SPB2760	2760
SPB2800	2800
SPB2840	2840
SPB2850	2850
SPB2900	2900
SPB2950	2950
SPB2990	2990
SPB3000	3000
SPB3070	3070
SPB3150	3150
SPB3170	3170
SPB3250	3250
SPB3350	3350
SPB3425	3425
SPB3450	3450
SPB3500	3500
SPB3550	3550
SPB3650	3650
SPB3750	3750
SPB3800	3800
SPB3870	3870
SPB4000	4000
SPB4060	4060
SPB4120	4120
SPB4250	4250
SPB4310	4310
SPB4370	4370
SPB4500	4500
SPB4560	4560
SPB4620	4620
SPB4750	4750
SPB4820	4820
SPB4870	4870
SPB5000	5000
SPB5070	5070
SPB5080	5080
SPB5300	5300
SPB5380	5380
SPB5600	5600
SPB5680	5680
SPB6000	6000
SPB6300	6300
SPB6700	6700
SPB7100	7100
SPB7300	7300
SPB7500	7500
SPB8000	8000
SPB9000	9000

SPC	
Item no JENS S.	Pitch length Lp, mm
SPC10000	10000
SPC10600	10600
SPC11200	11200
SPC12500	12500
SPC2000	2000
SPC2120	2120
SPC2240	2240
SPC2360	2360
SPC2500	2500
SPC2550	2550
SPC2650	2650
SPC2800	2800
SPC3000	3000
SPC3100	3100
SPC3150	3150
SPC3250	3250
SPC3350	3350
SPC3500	3500
SPC3550	3550
SPC3750	3750
SPC3912	3912
SPC4000	4000
SPC4100	4100
SPC4250	4250
SPC4380	4380
SPC4400	4400
SPC4500	4500
SPC4650	4650
SPC4750	4750
SPC5000	5000
SPC5300	5300
SPC5440	5440
SPC5600	5600
SPC6000	6000
SPC6300	6300
SPC6500	6500
SPC6700	6700
SPC7000	7000
SPC7100	7100
SPC7500	7500
SPC7800	7800
SPC8000	8000
SPC8500	8500
SPC9000	9000
SPC9500	9500